

RoHS Compliance Declaration (Directive 2011/65/EU – RoHS 2)

Dear Valued Customers,



APRO Co., Ltd. is committed its products are in compliance with all applicable laws and regulations identified as RoHS Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in the electrical and electronic equipment (EEE).

Products:



HERCULES-P Series Industrial USB 2.0 Flash Disk Generation 4 & 4SB / Rugged Metal casing

HERCULES-P Series Industrial USB 2.0 Flash Disk Generation 5 & 5L / Semi-metal casing

Part Numbers:

Part number list - Rugged metal SLC USB flash disk - Generation 4			
Product Picture	Capacity	0°C ~ 70°C	- 40°C ~ + 85°C
	128MB	SRUFD128M-MPCTC-4(/C)	WRUFD128M-MPITH-4(/C)
	256MB	SRUFD256M-MPCTC-4(/C)	WRUFD256M-MPITH-4(/C)
	512MB	SRUFD512M-MPCTC-4(/C)	WRUFD512M-MPITH-4(/C)
	1GB	SRUFD001G-MPCTC-4(/C)	WRUFD001G-MPITH-4(/C)
	2GB	SRUFD002G-MPCTC-4(/C)	WRUFD002G-MPITH-4(/C)
	4GB	SRUFD004G-MPCTC-4(/C)	WRUFD004G-MPITH-4(/C)
	8GB	SRUFD008G-MPCTC-4(/C)	WRUFD008G-MPITH-4(/C)
	16GB	SRUFD016G-MPCTC-4(/C)	WRUFD016G-MPITH-4(/C)
Part number list - Rugged metal SLC USB flash disk - Generation 4SB			
Product Picture	Capacity	0°C ~ 70°C	- 40°C ~ + 85°C
	128MB	SRUFD128M-MPCTC-4SB(/C)	WRUFD128M-MPITH-4SB(/C)
	256MB	SRUFD256M-MPCTC-4SB(/C)	WRUFD256M-MPITH-4SB(/C)
	512MB	SRUFD512M-MPCTC-4SB(/C)	WRUFD512M-MPITH-4SB(/C)
	1GB	SRUFD001G-MPCTC-4SB(/C)	WRUFD001G-MPITH-4SB(/C)
	2GB	SRUFD002G-MPCTC-4SB(/C)	WRUFD002G-MPITH-4SB(/C)
	4GB	SRUFD004G-MPCTC-4SB(/C)	WRUFD004G-MPITH-4SB(/C)
	8GB	SRUFD008G-MPCTC-4SB(/C)	WRUFD008G-MPITH-4SB(/C)
	16GB	SRUFD016G-MPCTC-4SB(/C)	WRUFD016G-MPITH-4SB(/C)

RoHS Compliance Declaration
(Directive 2011/65/EU – RoHS 2)

Part number list - semi-metal SLC USB flash disk - Generation 5			
Product Picture	Capacity	0°C ~ 70°C	- 40°C ~ + 85°C
	128MB	SMUFD128M-MPCTC-5(/C)	WMUFD128M-MPITI-5(/C)
	256MB	SMUFD256M-MPCTC-5(/C)	WMUFD256M-MPITI-5(/C)
	512MB	SMUFD512M-MPCTC-5(/C)	WMUFD512M-MPITI-5(/C)
	1GB	SMUFD001G-MPCTC-5(/C)	WMUFD001G-MPITI-5(/C)
	2GB	SMUFD002G-MPCTC-5(/C)	WMUFD002G-MPITI-5(/C)
	4GB	SMUFD004G-MPCTC-5(/C)	WMUFD004G-MPITI-5(/C)
	8GB	SMUFD008G-MPCTC-5(/C)	WMUFD008G-MPITI-5(/C)
	16GB	SMUFD016G-MPCTC-5(/C)	WMUFD016G-MPITI-5(/C)
Product Picture	Capacity	0°C ~ 70°C	- 40°C ~ + 85°C
	16GB	SMUFD016G-MPCTC-5L(/C)	WMUFD016G-MPITI-5L(/C)
	32GB	SMUFD032G-MPCTC-5L(/C)	WMUFD032G-MPITI-5L(/C)

RoHS Compliance Declaration


(Directive 2011/65/EU – RoHS 2)

Maximum concentration values (MCV) by weight in homogenous materials are as follows:

Name of hazardous substance	RoHS proposed Maximum Concentration Value in ppm
Cadmium (Cd)	<100 ppm
Lead (Pb)	<1000 ppm
Mercury (Hg)	<1000 ppm
Hexavalent Chromium(Cr+6)	<1000 ppm
Polybromodiphenry1 ether (PBDE)	<1000 ppm
Polybrominated Biphenyls (PBB)	<1000 ppm

Compliance is evidenced by written declaration from our suppliers, assuring that any potential trace contamination levels of the substances listed above are below the maximum level set by EU/2011/65/EU, or are exempt due to their applications.

Authorized representative of APRO Co., Ltd.



Andy Lin / Products Management

Date: Dec. 15, 2014